



COMMONWEALTH of VIRGINIA

DEPARTMENT OF TRANSPORTATION
1401 EAST BROAD STREET
RICHMOND, VIRGINIA 23219-2000

PHILIP A. SHUCET
COMMISSIONER

COMMONWEALTH OF VIRGINIA DEPARTMENT OF TRANSPORTATION NOTICE OF AWARD FMS11# 21416, RFP#757-DS

June 28, 2006


Name of Contractor: Colonial Ford Truck Sales.
Address: 1833 Commerce Road
Richmond, VA 23224
Attn: Mr. Raymond Bunch

Your Bid Offer date: 06-20-2006
Your bid Response to: Contract# 21416

To Furnish: Trucks Cab & Chassis, 15,000 GVW
Period of Contract- June 28, 2005 thru June 28, 2006

Hereby is accepted at prices and terms stated, subject to all conditions and requirements Of the solicitation, purchase specifications, warranties performance bond and other stipulations, if any. The solicitation, your bid offer and this notice of acceptance constitute the contract.

Sincerely,


David M. Smith
Contract Officer, VCO, CPPB

COMMONWEALTH OF VIRGINIA
DEPARTMENT OF TRANSPORTATION
ADMINISTRATIVE SERVICES DIVISION
1401 EAST BROAD STREET
RICHMOND, VIRGINIA 23219

NOTICE OF CONTRACT AWARD

1. DATE..... June 30, 2005
2. COMMODITY NAME..... Trucks, Cab& C -15,000GVW
3. CONTRACT NUMBER..... RFP # 757-DS #21416
4. CONTRACT PERIOD..... 05-30-2005 thru 05-30-2006
5. AUTHORIZED USERS..... State Agencies and other Public Bodies
6. CONTRACTORS FIN NUMBER..... 54-079-9796
7. CONTRACTOR..... Colonial Ford Truck Sales
1833 Commerce Road
Richmond, VA 23224
8. CONTRACTOR CONTACT PERSON..... Mr. Raymond Bunch
9. CONTRACTOR'S PHONE NUMBER..... 804-232-3492
FAX NUMBER..... 804-230-1932
10. DELIVERY..... approx - 90 days
11. PRICES AND OPTIONS..... See Attached
12. FOB..... Richmond, Virginia
13. FOR FURTHER CONTRACT INFORMATION CONTACT..... David M. Smith
804-786-5179
14. FOR ADDITIONAL COPIES OF THIS AND OTHER CONTRACTS AND ANY ASSOCIATE
CONTRACT CHANGES, CALL VBO MESSAGE CENTER (804)371-6725.

COMMONWEALTH OF VIRGINIA
DEPARTMENT OF TRANSPORTATION
RICHMOND VA 23219

PRICE AND OPTION DATA
RFP#757-DS #FMSII-21416

Contract # 21416- 757-DS

Make and Model- yr 2006 Ford F-450	Base Unit Cost
Cab & Chassis	\$ 29,947.97

Delivery: Approx.-90 days

Warranty: Please request data once delivery has been made.

Options:

8' Dump Body & Hoist	\$5,879.28
----------------------	------------


Warranty full 2years 24,000 Miles	\$2,269.50
-----------------------------------	------------

Warranty 5 years Engine&Automatic Trans	\$2,070.60
---	------------

A 2%VAPP Surcharge has been added to the unit cost of this contract.

Additional options are available at a 10% discount.

VDOT Vehicles Contracts



David M. Smith
Contract Officer

2. Class 843 – 15,000 GVW 4X4 Dump Truck

General: The one-ton 4 x 4 cab and chassis shall conform to the following specifications.

Wheelbase: To be not less than 135" with 60" CA dimension.

GVWR: To be not less than 15,000 lbs.

Tires: To be tubeless steel-belted radial, 225/70R19.5F. Size to be correct for load capacity of the above GVWR. Rear tires to be mud and snow type with extra traction. Tread design must be approved by the Asset Management Division/Equipment Section. Rims to be one-piece design. Spare tire and rim with carrier to be provided.

Suspension: Total capacity of front suspension to be 5,200 lbs. minimum and rear suspension 11,000 lbs. minimum. To include heavy duty shock absorbers on front and rear.

Steering: To have power assist steering.

Brakes: To be hydraulic with brake booster.

Transmission: To be heavy duty automatic with 4 speeds forward. To be equipped with park position.

Engine: To be diesel powered. Piston displacement to be a minimum of 6.0L. SAE net horsepower to be no less than 195 at rated RPM. Net torque to be no less than 420 lbs. ft. at rated RPM. To be furnished with oil filter, air filter, and standard emission controls for vehicle.

Coolant: Engine coolant is to be ethylene glycol type antifreeze meeting the requirements of TMC RP-329 (fully formulated, low silicate, nitrite containing) mixed 50-50 with water. Antifreeze is to be on the current Penray® Fill-For-Life program approved list.

Electrical System: Battery is to be rated at not less than 1,000 CCA @ 0° F. Alternator is to be rated at not less than 100 amp.

Miscellaneous: To be furnished with Class A directional signal lights front and rear, back-up lights, ICC traffic hazard switch, dual electric intermittent windshield wipers, windshield washers, heater and defroster (fresh air type), factory installed air conditioning, AM/FM radio, dome light in cab, shoulder/lap belts, sun visors, tinted glass, and dual outside mirrors with minimum dimensions of 7" x 10". NOTE: Mirror arms are to be extended type to clear body as necessary. Snowplow preparation package to be provided.

Body: Eight foot dump body is to have a capacity of 2 cubic yards with dimensions of approximately 84" wide, 14" high on the sides, 35" high at the front, and 20" at the tailgate, safety handle on tailgate of ½" cold roll steel with 6" loop. Unit to be constructed from high strength steel with floor to be at least 12 gauge, and sides and cab shield at least 14 gauge. Dump and hoist to weigh approximately 1,675 lbs. Cab shield to have window for rear vision. The body is to have lights for stop, tail, turn signal and backup, and reflectors in accordance with Federal and State Motor Vehicle Code. To be equipped with backup alarm K-D Model 621 or equal and comply with SAE J994B. Body color to be black.

The hoist is to be a 12-volt electric/hydraulic unit and operate from the truck battery through a cab-mounted toggle switch at the left of the driver's seat.

Unit to have hinged fold-down sides on both sides. Body prop to be furnished. Zerk grease fittings on hinge pin and trip lever linkage.

Fuel filler neck(s) to be securely mounted.

Reference: Crysteel's Two-Yard Tipper Body.

Trailer Towing Package: To include a class 3 receiver, 5,000 lbs. minimum capacity Reece 35510 or equal, and a trailer light wiring harness connected to a rear bumper mounted 1235 Cole Hersee 6 pole connector

INSTRUCTIONS

1. Orders: Unless otherwise instructed by the Department of Transportation, institutions and agencies of the Commonwealth of Virginia may order items listed by issuing agency purchase orders (Form DPS-41-056) or by issuing their own purchase order form. Please forward copy of order to VDOT.
2. If this contract is authorized for use by localities (see line item 5, page 1), Virginia cities, counties, towns and political subdivisions may use their own form to order items listed in this contract.
3. The applicable contract number, federal employer identification number (FIN) and item number (for itemized contracts) must be shown on each purchase order and copy.
4. Inspection on delivery or pickup and approval of vendor's invoice is the responsibility of receiving State Agency, Virginia city, county, town or political subdivision.
5. Any complaint as to quality faulty or delinquent delivery, or violation of contract provisions by contractor shall be reported to the Department of Transportation for handling with the contractor. Preprinted forms (DGS-41-024), by which to facilitate the notification of the contractor and this office of complaints, are available from the Division of Purchases and Supply (786-3522).
6. SPECIFICATIONS: Please call (804) 371-6725 to request specification for this vehicle.
7. DELIVERY: Vehicles shall be delivered to various state agencies, political subdivisions throughout the State. These deliveries from contractors are net delivered to Richmond, Virginia. There will be a .60 cent per mile charge for distance exceeding that of the distance from the contractor to Richmond. There will be a mileage credit, of .60 cents per mile if the distance is less than that of the distance from the contractor to Richmond, Virginia. For measuring distances use the Virginia State Map.
8. OPTIONS: The attached options may be added to the base unit cost of the vehicle, no other options can be added to the contract unless you have prior approval from the VDOT Administrative Services Division, contact David Smith.
9. For colors that are available on this vehicle, please contact the contractor.